

The species listed and their graph of occurrence data on this checklist is taken from the 2021 Edition of the Fort Worth Audubon Society's *Birds of Tarrant County Field Checklist and Graph of Occurrence* booklet. The Spring Checklist only includes species that are normally observed in Tarrant County during the months of March, April and May. This list does not include Accidental and Casual species observations. A complete list for all yearly recorded observations is posted on our website at www.fwas.org.

© 2021 Fort Worth Audubon Society

| MONTH : MAR APR MAY | | | | | NOTES | MONTH : MAR APR MAY | | | | | NOTES |
|--|----------------|--|--|--|----------------|--|----------------|--|--|--|----------------|
| SPECIES | WEEK : 1 2 3 4 | | | | (Numbers Seen) | SPECIES | WEEK : 1 2 3 4 | | | | (Numbers Seen) |
| FAMILY: Anatidae (Ducks, Geese, and Waterfowl) | | | | | | FAMILY: Cuculidae (Cuckoos) | | | | | |
| Black-bellied Whistling Duck | [Graph] | | | | | Greater Roadrunner | [Graph] | | | | |
| Snow Goose | [Graph] | | | | • | Yellow-billed Cuckoo | [Graph] | | | | |
| Ross's Goose | [Graph] | | | | | FAMILY: Caprimulgidae (Nightjars and Allies) | | | | | |
| Greater White-fronted | [Graph] | | | | | Common Nighthawk | [Graph] | | | | |
| Cackling Goose | [Graph] | | | | | Chuck-will's-widow | [Graph] | | | | |
| Canada Goose | [Graph] | | | | | FAMILY: Apodidae (Swifts) | | | | | |
| Wood Duck | [Graph] | | | | | Chimney Swift | [Graph] | | | | |
| Blue-winged Teal | [Graph] | | | | | FAMILY: Trochilidae (Hummingbirds) | | | | | |
| Cinnamon Teal | [Graph] | | | | | Ruby-throated Hummingbird | [Graph] | | | | |
| Northern Shoveler | [Graph] | | | | | Black-chinned Hummingbird | [Graph] | | | | |
| Gadwall | [Graph] | | | | | FAMILY: Rallidae (Rails, Gallinules, and Coots) | | | | | |
| American Wigeon | [Graph] | | | | | Virginia Rail | [Graph] | | | | |
| Mallard | [Graph] | | | | | Sora | [Graph] | | | | |
| Northern Pintail | [Graph] | | | | | Common Gallinule (Moorhen) | [Graph] | | | | |
| Green-winged Teal | [Graph] | | | | | American Coot | [Graph] | | | | |
| Canvasback | [Graph] | | | | • | FAMILY: Gruidae (Cranes) | | | | | |
| Redhead | [Graph] | | | | | Sandhill Crane | [Graph] | | | | |
| Ring-necked Duck | [Graph] | | | | | Whooping Crane | [Graph] | | | | |
| Greater Scaup | [Graph] | | | | •• | FAMILY: Recurvirostridae (Stilts and Avocets) | | | | | |
| Lesser Scaup | [Graph] | | | | | Black-necked Stilt | [Graph] | | | | |
| Bufflehead | [Graph] | | | | | American Avocet | [Graph] | | | | |
| Common Goldeneye | [Graph] | | | | • | FAMILY: Charadriidae (Plovers and Lapwings) | | | | | |
| Hooded Merganser | [Graph] | | | | •• | Black-bellied Plover | [Graph] | | | | |
| Red-breasted Merganser | [Graph] | | | | •••• | American Golden-Plover | [Graph] | | | | |
| Ruddy Duck | [Graph] | | | | | Killdeer | [Graph] | | | | |
| FAMILY: Odontophoridae (New World Quail) | | | | | | Semipalmated Plover | [Graph] | | | | |
| Northern Bobwhite | [Graph] | | | | | FAMILY: Scolopacidae (Sandpipers and Allies) | | | | | |
| FAMILY: Phasianidae (Pheasants, Grouse, and Allies) | | | | | | Upland Sandpiper | [Graph] | | | | |
| Wild Turkey | [Graph] | | | | | Long-billed Curlew | [Graph] | | | | |
| FAMILY: Podicipedidae (Grebes) | | | | | | Hudsonian Godwit | [Graph] | | | | |
| Pied-billed Grebe | [Graph] | | | | | Marbled Godwit | [Graph] | | | | |
| Horned Grebe | [Graph] | | | | | Ruddy Turnstone | [Graph] | | | | |
| Eared Grebe | [Graph] | | | | | Stilt Sandpiper | [Graph] | | | | |
| Western Grebe | [Graph] | | | | •• | Sanderling | [Graph] | | | | |
| FAMILY: Columbidae (Pigeons and Doves) | | | | | | Dunlin | [Graph] | | | | |
| Rock Pigeon | [Graph] | | | | | Baird's Sandpiper | [Graph] | | | | |
| Eurasian Collared-Dove | [Graph] | | | | | Least Sandpiper | [Graph] | | | | |
| White-winged Dove | [Graph] | | | | | White-rumped Sandpiper | [Graph] | | | | |
| Mourning Dove | [Graph] | | | | | Buff-breasted Sandpiper | [Graph] | | | | |
| Inca Dove | [Graph] | | | | | Pectoral Sandpiper | [Graph] | | | | |
| | | | | | | Semipalmated Sandpiper | [Graph] | | | | |

| | | | | | |
|---|----------------------------------|----------------------------------|-----------------------------------|------------------------------|------------------------|
| COLOR KEY TO OCCURRENCE GRAPH | ABUNDANT [Dark Green Box] | COMMON [Medium Green Box] | UNCOMMON [Light Green Box] | OCCASIONAL [Blue Box] | RARE [Pink Box] |
| •• Denotes observations of species 'out-of-season' Please report observations of species not listed and out-of-season! | | | | | |

| MONTH : MAR APR MAY | | | | | NOTES | MONTH : MAR APR MAY | | | | | NOTES |
|--|--|----------------|--|--|----------------|--|--|----------------|--|--|----------------|
| SPECIES | | WEEK : 1 2 3 4 | | | (Numbers Seen) | SPECIES | | WEEK : 1 2 3 4 | | | (Numbers Seen) |
| FAMILY: Scolopacidae (Sandpipers and Allies) <i>continued</i> | | | | | | FAMILY: Cathartidae (New World Vultures) | | | | | |
| Western Sandpiper | | | | | | Black Vulture | | | | | |
| Short-billed Dowitcher | | | | | | Turkey Vulture | | | | | |
| Long-billed Dowitcher | | | | | | FAMILY: Pandionidae (Osprey) | | | | | |
| American Woodcock | | | | | | Osprey | | | | | |
| Wilson's Snipe | | | | | | FAMILY: Accipitridae (Hawks, Eagles, and Kites) | | | | | |
| Spotted Sandpiper | | | | | | Mississippi Kite | | | | | |
| Solitary Sandpiper | | | | | | Northern Harrier | | | | | |
| Lesser Yellowlegs | | | | | | Sharp-shinned Hawk | | | | | |
| Willet | | | | | | Cooper's Hawk | | | | | |
| Greater Yellowlegs | | | | | | Bald Eagle | | | | | |
| Wilson's Phalarope | | | | | | Red-shouldered Hawk | | | | | |
| Red-necked Phalarope | | | | | | Broad-winged Hawk | | | | | |
| FAMILY: Laridae (Gulls, Terns, and Skimmers) | | | | | | Swainson's Hawk | | | | | |
| Bonaparte's Gull | | | | | | Red-tailed Hawk | | | | | |
| Franklin's Gull | | | | | | Rough-legged Hawk | | | | | |
| Ring-billed Gull | | | | | | Ferruginous Hawk | | | | | |
| Herring Gull | | | | | | FAMILY: Tytonidae (Barn Owls) | | | | | |
| Lesser Black-backed Gull | | | | | | Barn Owl | | | | | |
| Least Tern | | | | | | FAMILY: Strigidae (Owls) | | | | | |
| Caspian Tern | | | | | | Eastern Screech-Owl | | | | | |
| Black Tern | | | | | | Great Horned Owl | | | | | |
| Forster's Tern | | | | | | Burrowing Owl | | | | | |
| FAMILY: Gaviidae (Loons) | | | | | | Barred Owl | | | | | |
| Common Loon | | | | | | Short-eared Owl | | | | | |
| FAMILY: Anhingidae (Anhingas) | | | | | | FAMILY: Alcedinidae (Kingfishers) | | | | | |
| Anhinga | | | | | | Belted Kingfisher | | | | | |
| FAMILY: Phalacrocoracidae (Cormorants and Shags) | | | | | | FAMILY: Picidae (Woodpeckers) | | | | | |
| Neotropic Cormorant | | | | | | Yellow-bellied Sapsucker | | | | | |
| Double-crested Cormorant | | | | | | Red-headed Woodpecker | | | | | |
| FAMILY: Pelecanidae (Pelicans) | | | | | | Red-bellied Woodpecker | | | | | |
| American White Pelican | | | | | | Downy Woodpecker | | | | | |
| FAMILY: Ardeidae (Hérons, Egrets, and Bitterns) | | | | | | Ladder-backed Woodpecker | | | | | |
| American Bittern | | | | | | Hairy Woodpecker | | | | | |
| Least Bittern | | | | | | Pileated Woodpecker | | | | | |
| Great Blue Heron | | | | | | Northern Flicker | | | | | |
| Great Egret | | | | | | FAMILY: Falconidae (Falcons and Caracaras) | | | | | |
| Snowy Egret | | | | | | American Kestrel | | | | | |
| Little Blue Heron | | | | | | Merlin | | | | | |
| Tricolored Heron | | | | | | Peregrine Falcon | | | | | |
| Cattle Egret | | | | | | Prairie Falcon | | | | | |
| Green Heron | | | | | | FAMILY: Psittacidae (New World and African Parrots) | | | | | |
| Black-crowned Night Heron | | | | | | Monk Parakeet (I) | | | | | |
| Yellow-crowned Night Heron | | | | | | FAMILY: Tyrannidae (Tyrant Flycatchers) | | | | | |
| FAMILY: Threskiornithidae (Ibises and Spoonbills) | | | | | | Great-crested Flycatcher | | | | | |
| White Ibis | | | | | | Western Kingbird | | | | | |
| Glossy Ibis | | | | | | Eastern Kingbird | | | | | |
| White-faced Ibis | | | | | | Scissor-tailed Flycatcher | | | | | |
| Roseate Spoonbill | | | | | | Olive-sided Flycatcher | | | | | |

| | | | | | |
|--|---|---|---|---|---|
| COLOR KEY TO OCCURRENCE GRAPH | ABUNDANT  | COMMON  | UNCOMMON  | OCCASIONAL  | RARE  |
| '•' Denotes observations of species 'out-of-season' Please report observations of species not listed and out-of-season! | | | | | |

| MONTH : | MAR | APR | MAY | NOTES | MONTH : | MAR | APR | MAY | NOTES | |
|---|--------|---------|---------|---------|--|--|--------|---------|---------|----------------|
| SPECIES | WEEK : | 1 2 3 4 | 1 2 3 4 | 1 2 3 4 | (Numbers Seen) | SPECIES | WEEK : | 1 2 3 4 | 1 2 3 4 | (Numbers Seen) |
| FAMILY: Tyrannidae (Tyrant Flycatchers) <i>continued</i> | | | | | FAMILY: Turdidae (Thrushes and Allies) | | | | | |
| Eastern Wood-Pewee | | | | | | Eastern Bluebird | | | | |
| Yellow-bellied Flycatcher | | | | | | Gray-cheeked Thrush | | | | |
| Alder Flycatcher | | | | | | Swainson's Thrush | | | | |
| Willow Flycatcher | | | | | | Hermit Thrush | | | | |
| Least Flycatcher | | | | | | Wood Thrush | | | | |
| Eastern Phoebe | | | | | | American Robin | | | | |
| FAMILY: Laniidae (Shrikes) | | | | | FAMILY: Mimidae (Mockingbirds and Thrashers) | | | | | |
| Loggerhead Shrike | | | | | | Gray Catbird | | | | |
| FAMILY: Vireonidae (Vireos) | | | | | FAMILY: Sturnidae (Starlings) | | | | | |
| White-eyed Vireo | | | | | | Brown Thrasher | | | | |
| Bell's Vireo | | | | | | Northern Mockingbird | | | | |
| Blue-headed Vireo | | | | | | FAMILY: Bombycillidae (Waxwings) | | | | |
| Warbling Vireo | | | | | | Cedar Waxwing | | | | |
| Philadelphia Vireo | | | | | | FAMILY: Passeridae (Old World Sparrows) | | | | |
| Red-eyed Vireo | | | | | | House Sparrow (I) | | | | |
| FAMILY: Corvidae (Crows, Jays, and Magpies) | | | | | FAMILY: Motacillidae (Wagtails and Pipits) | | | | | |
| Blue Jay | | | | | | American Pipit | | | | |
| American Crow | | | | | | Sprague's Pipit | | | | |
| FAMILY: Alaudidae (Larks) | | | | | FAMILY: Fringillidae (Finches, Euphonias, and Allies) | | | | | |
| Horned Lark | | | | | | House Finch | | | | |
| FAMILY: Hirundinidae (Swallows) | | | | | FAMILY: Passerellidae (New World Sparrows) | | | | | |
| Bank Swallow | | | | | | Cassin's Sparrow | | | | |
| Tree Swallow | | | | | | Grasshopper Sparrow | | | | |
| Northern Rough-winged Swallow | | | | | | Lark Sparrow | | | | |
| Purple Martin | | | | | | Chipping Sparrow | | | | |
| Barn Swallow | | | | | | Clay-colored Sparrow | | | | |
| Cliff Swallow | | | | | | Field Sparrow | | | | |
| Cave Swallow | | | | | | Fox Sparrow | | | | |
| FAMILY: Paridae (Tits, Chickadees, and Titmice) | | | | | FAMILY: Troglodytidae (Wrens) | | | | | |
| Carolina Chickadee | | | | | | Carolina Wren | | | | |
| Tufted Titmouse | | | | | | Bewick's Wren | | | | |
| FAMILY: Sittidae (Nuthatches) | | | | | FAMILY: Polioptilidae (Gnatcatchers) | | | | | |
| Red-breasted Nuthatch | | | | | | Blue-gray Gnatcatcher | | | | |
| White-breasted Nuthatch | | | | | | FAMILY: Regulidae (Kinglets) | | | | |
| FAMILY: Certhiidae (Tree Creepers) | | | | | FAMILY: Turdidae (Thrushes and Allies) | | | | | |
| Brown Creeper | | | | | | Golden-crowned Kinglet | | | | |
| FAMILY: Troglodytidae (Wrens) | | | | | FAMILY: Turdidae (Thrushes and Allies) | | | | | |
| Carolina Wren | | | | | | Ruby-crowned Kinglet | | | | |
| Bewick's Wren | | | | | | | | | | |
| House Wren | | | | | | | | | | |
| Winter Wren | | | | | | | | | | |
| Sedge Wren | | | | | | | | | | |
| Marsh Wren | | | | | | | | | | |
| FAMILY: Polioptilidae (Gnatcatchers) | | | | | FAMILY: Turdidae (Thrushes and Allies) | | | | | |
| Blue-gray Gnatcatcher | | | | | | | | | | |
| FAMILY: Regulidae (Kinglets) | | | | | FAMILY: Turdidae (Thrushes and Allies) | | | | | |
| Golden-crowned Kinglet | | | | | | | | | | |
| Ruby-crowned Kinglet | | | | | | | | | | |

| | | | | | |
|--|---|---|--|---|---|
| COLOR KEY TO OCCURRENCE GRAPH | ABUNDANT  | COMMON  | UNCOMMON  | OCCASIONAL  | RARE  |
| '•' Denotes observations of species 'out-of-season' <i>Please report observations of species not listed and out-of-season!</i> | | | | | |

| MONTH : | MAR | APR | MAY | NOTES | MONTH : | MAR | APR | MAY | NOTES | |
|---|--------|---------|---------|---------|--|--|--------|---------|---------|----------------|
| SPECIES | WEEK : | 1 2 3 4 | 1 2 3 4 | 1 2 3 4 | (Numbers Seen) | SPECIES | WEEK : | 1 2 3 4 | 1 2 3 4 | (Numbers Seen) |
| FAMILY: Passerellidae (New World Sparrows) continued | | | | | FAMILY: Cardinalidae (Cardinals and Allies) continued | | | | | |
| Spotted Towhee | | | | | | Rose-breasted Grosbeak | | | | |
| Eastern Towhee | | | | | | Blue Grosbeak | | | | |
| FAMILY: Icteriidae (Yellow-breasted Chat) | | | | | Lazuli Bunting | | | | | |
| Yellow-breasted Chat | | | | | | Indigo Bunting | | | | |
| FAMILY: Icteridae (Troupials and Allies) | | | | | Painted Bunting | | | | | |
| Yellow-headed Blackbird | | | | | | Dickcissel | | | | |
| Bobolink | | | | | | | | | | |
| Eastern Meadowlark | | | | | | OTHER SPECIES OBSERVED (NOT LISTED) | | | | |
| Western Meadowlark | | | | | | | | | | |
| Orchard Oriole | | | | | | | | | | |
| Bullock's Oriole | | | | | | | | | | |
| Baltimore Oriole | | | | | | | | | | |
| Red-winged Blackbird | | | | | | | | | | |
| Brown-headed Cowbird | | | | | | | | | | |
| Rusty Blackbird | | | | | | | | | | |
| Brewer's Blackbird | | | | | | | | | | |
| Common Grackle | | | | | | | | | | |
| Great-tailed Grackle | | | | | | | | | | |
| FAMILY: Parulidae (New World Warblers) | | | | | Observation Details and Weather Conditions | | | | | |
| Ovenbird | | | | | | <i>DATE & TIME IN FIELD:</i> | | | | |
| Louisiana Waterthrush | | | | | | <i>LOCATION OF OUTING:</i> | | | | |
| Northern Waterthrush | | | | | | <i>WEATHER:</i> | | | | |
| Black-and-white Warbler | | | | | | <i>OBSERVERS:</i> | | | | |
| Prothonotary Warbler | | | | | | | | | | |
| Tennessee Warbler | | | | | | | | | | |
| Orange-crowned Warbler | | | | | | | | | | |
| Nashville Warbler | | | | | | | | | | |
| Mourning Warbler | | | | | | | | | | |
| Kentucky Warbler | | | | | | | | | | |
| Common Yellowthroat | | | | | | | | | | |
| Hooded Warbler | | | | | | | | | | |
| American Redstart | | | | | | | | | | |
| Northern Parula | | | | | | | | | | |
| Magnolia Warbler | | | | | | | | | | |
| Bay-breasted Warbler | | | | | | | | | | |
| Blackburnian Warbler | | | | | | | | | | |
| Yellow Warbler | | | | | | | | | | |
| Chestnut-sided Warbler | | | | | | | | | | |
| Pine Warbler | | | | | | | | | | |
| Yellow-rumped Warbler | | | | | | | | | | |
| Yellow-throated Warbler | | | | | | | | | | |
| Black-throated Green Warbler | | | | | | | | | | |
| Canada Warbler | | | | | | | | | | |
| Wilson's Warbler | | | | | | | | | | |
| FAMILY: Cardinalidae (Cardinals and Allies) | | | | | | | | | | |
| Summer Tanager | | | | | | | | | | |
| Scarlet Tanager | | | | | | | | | | |
| Northern Cardinal | | | | | | | | | | |

| | | | | | |
|--|-----------------|---------------|-----------------|-------------------|-------------|
| COLOR KEY TO OCCURRENCE GRAPH | ABUNDANT | COMMON | UNCOMMON | OCCASIONAL | RARE |
| '•' Denotes observations of species 'out-of-season' Please report observations of species not listed and out-of-season! | | | | | |